



OPTIMUM POLYMER TECHNOLOGIES, INC.
GHS SAFETY DATA SHEET

Section 1: Identification

Product Name: Polishing Compound Product Code: 308

Trade Name: Optimum Metal Polish

Manufacturer/Supplier:

Optimum Polymer Technologies, Inc.
4130 Senator Street
Memphis, TN 38118
Tel: 1 (901) 363-4955
Fax: 1 (901) 363-4956

Email: info@optimumcarcare.com

Adres:
Optimum Car Care
Opaalstraat 10
7554 TS
Hengelo (OV) Nederland

Emergency Telephone Number:

24 Hour Emergency Assistance: (901) 292-4324

CHEMTREC Customer Service
1-800-262-8200 (within the U.S.)
+1 703-741-5500 (US or Canada)
chemtrec@chemtrec.com
www.chemtrec.com

Telefoon:
+31(0)743577679
Info@Optimumcarcare.NL

Emergency Telephone Number:
Nationaal Advies Orgaan/ Vergiftigings Centrum: 030-274 88 88
Uitsluitend voor professionele Hulpverleners. Open 24/7

Product Use: Polishing automotive surfaces
Not recommended for: Non-automotive applications

Section 2: Hazards Identification

OSHA Hazards

No known OSHA Hazards

GHS Ratings:

Not Applicable

GHS label elements including precautionary Statements

GHS Hazards

| | |
|------|--|
| H227 | Combustible liquid |
| H305 | May be harmful if swallowed and enters airways |
| H316 | Causes mild skin irritation |
| H320 | Causes eye irritation |

GHS Precautions

| | |
|--------------|---|
| P301+330+331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting |
| P302+352 | IF ON SKIN: Wash with soap and water |
| P305+351+338 | IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing |



Signal Word: Warning

Hazardous Material Information System (HMIS)

| | |
|---------------------|---|
| HEALTH | 2 |
| FLAMMABILITY | 2 |
| PHYSICAL HAZARD | 1 |
| PERSONAL PROTECTION | A |

HMIS & NFPA Hazard Rating

Legend

* = Chronic Health Hazard


0 = INSIGNIFICANT

1 = SLIGHT

2 = MODERATE

3 = HIGH

National Fire Protection Association (NFPA)



Effects of Overexposure

None known.

Section 3: Composition/ Information on Ingredients

| Chemical Name | CAS Number | Concentration |
|------------------------------------|------------|---------------|
| Aluminum Oxide | 1344-28-1 | 30.00 - 40.00 |
| Hydrotreated Petroleum Distillates | 64742-47-8 | 10.00 - 20.00 |

Section 4: First Aid Measures

Inhalation:

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Eye Contact:

In case of eye contact, rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if irritation persists.

Skin Contact:

In case of skin contact, wash off with soap and water. Consult a physician if irritation persists.

Ingestion:

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Section 5: Fire Fighting Measures

LEL: 0.5 %

UEL: 5.0 %

Conditions of Flammability

Combustible liquid. Keep away from sources of ignition.

Extinguishing Media

Use water spray, carbon dioxide foam, or dry chemical.

Unusual Fire or Explosion Hazards:

None known.

Hazardous Combustion Products:

Carbon monoxide, carbon dioxide

Fire Fighting Equipment

Wear self contained breathing apparatus for fire fighting if necessary

Section 6: Accidental Release Measures

Personal Precautions

Use personal protective equipment. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation exists.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Contact local and state authorities if spill enters open waters.

Small spills

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable closed container for disposal.

Large Spills

Use dykes to contain the spill. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Contact local and state authorities if spill enters open waters.

Section 7: Handling and Storage

Follow label directions for proper usage and SDS for safe handling and storage

Handling Precautions

Avoid contact with eyes or prolong contact with skin. Areas of storage, preparations, and application should be well ventilated. Do not smoke, eat, or drink when using this product.

Storage Requirements

Store between 5C and 40C. Keep container tightly closed in a dry well ventilated area away from sources of flame, heat, and direct sunlight

Section 8: Exposure Controls/ Personal Protection

| Chemical Name / CAS No. | OSHA Exposure Limits | ACGIH Exposure Limits | Other Exposure Limits |
|---|-------------------------|-----------------------|-----------------------|
| Aluminum Oxide 1344-28-1 | PEL 15mg/m ³ | Not Determined | Not Determined |
| Hydrotreated Petroleum Distillates 64742-47-8 | 500 ppm | 200 mg/M ³ | Not Determined |

Control Parameters:

This product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Ventilation

Use adequate ventilation.

Protective Gear

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU)

Protection of Hands:

Wear chemical resistant gloves such as North Silver Shields(R) or Viton(R). For limited use, PVC or nitrile gloves may be worn. Silver Shield is a registered trademark of Siebe North, Inc. Viton is a registered trademark of E. I. DuPont deNemours and Company, Inc.

Respiratory Protection

Not required

Body protection

Not required

Contaminated Gear

Remove contaminated clothing. Thoroughly wash contaminated clothing before reuse.

Section 9: Physical and Chemical Properties

| | |
|---|--|
| Appearance: Thich Liquid | Odor: Fruity |
| Vapor Pressure: Not Determined | Odor threshold: Not Determined |
| Vapor Density: Not Determined | pH: Not Determined |
| Density: 1.02 | Melting point: 0 C |
| Freezing point: 0 C | Solubility: Not Miscible |
| Boiling range: 100 C | Flash point: 88 C |
| Evaporation rate: Not Determined | Flammability: Combustible |
| Explosive Limits: Not Determined | Partition coefficient (n-octanol/water): Not Determined |
| Autoignition temperature: Not Determined | Decomposition temperature: Not Determined |
| Viscosity: 5000 cps | Grams VOC less water: 80 grams/liter |

Section 10: Stability and Reactivity

Follow label directions for proper usage.

Stability

Stable

Materials to avoid:

Avoid strong oxidizing agents

Reactivity

Not reactive.

Hazardous Decomposition:

None if used for intended purpose

Hazardous Decomposition Products:

Carbon monoxide

Conditions to avoid

Avoid freezing and temperatures over 40 C

Hazardous polymerization will not occur.

Section 11: Toxicology Information

Mixture Toxicity: Not Known

Dermal Toxicity: 4,940.00mg/kg

Component Toxicity:

Aluminum Oxide

Hydrotreated Petroleum Distillates

- Oral Toxicity: 5,000.00 mg/kg (Rat)- Dermal Toxicity: 3,000.00 mg/kg (Rabbit)

Acute toxicity

Oral LD50

No data available

Inhalation LC50

No data available

Dermal LD50

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Carcinogenicity

IARC: No known component of this product is identified as probable, possible, or confirmed human carcinogen by IARC

ACGIH: No component of this product is identified as probable, possible, or confirmed human carcinogen by ACGIH

NTP: No component of this product is identified as probable, possible, or confirmed human carcinogen by NTP

OSHA: No component of this product is identified as probable, possible, or confirmed human carcinogen by OSHA

Section 12: Ecological Information

Biodegradability

The components of this product are primarily biodegradable at 90% or above within 28 days .

Persistence and degradability:

No relevant information is available.

Bioaccumulative potential:

No relevant information is available.

Mobility in soil:

No relevant information is available.

Other adverse effects:

None known.

Section 13: Disposal Considerations**Method of disposal:**

Dispose according to local and regional regulations for waste disposal.

Section 14: Transportation Information**Marine pollutant:**

No

Transport in bulk (according to Annex II of Marpol 73/78 and IBC Code):

Not applicable

Special requirements for user:

Not applicable.

| <u>Agency</u> | <u>Proper Shipping Name</u> | <u>UN Number</u> | <u>Packing Group</u> | <u>Hazard Class</u> |
|---------------|-----------------------------|------------------|----------------------|---------------------|
| ADR | Not Dangerous Goods | N/A | N/A | N/A |
| DOT (US) | Not Dangerous Goods | N/A | N/A | N/A |
| IATA | Not Dangerous Goods | N/A | N/A | N/A |
| IMDG | Not Dangerous Goods | N/A | N/A | N/A |

Section 15: Regulatory Information**California**

This product contains no chemicals listed by the state of California under the safe drinking water and toxic enforcement act of 1986 (Proposition 65) as being known to cause cancer, birth defects, or other reproductive harm .

| <u>Country</u> | <u>Regulation</u> | <u>All Components Listed</u> |
|----------------|---------------------------|------------------------------|
| USA | California Proposition 65 | No |
| USA | Sara 311/312 | No |
| USA | Sara 313 Components | No |
| USA | Sara 302 | No |
| USA | SARA 304 | No |

EU Risk Phrases

R10: Flammable

R36: Irritating to eyes

R65: Harmful: may cause lung damage if swallowed

Safety Phrase

S16: Keep away from sources of ignition - No smoking

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S39: Wear eye/face protection

S64: If swallowed, rinse mouth with water (only if the person is conscious)

**TSCA**

The components of this product are included on or exempted from listing on TSCA inventory of chemical substances.

Section 16: Other Information

Department Issuing Safety Data Sheet: Safety Department
Contact: davidg@optimumcarcare.com

ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstracts Service Registry Number
DOT: Department of Transportation
EPA: Environmental Protection Agency
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association
IMDG: International Maritime Dangerous Goods
NTP: National Toxicology Program
OSHA: Occupational Safety Health Administration
PEL: Permissible Exposure Limit (OSHA)
TSCA: Toxic Substance Control Act

Date Prepared: 4/16/2014

Reviewer Revision

The information contained in this document is believed to be accurate to the best of our current knowledge but is not all inclusive and shall be used only as a guide. It is provided in good faith but without warranty, expressed or implied, as to the results of the use of the information and/or this product. Optimum and its affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.