



Safety Data Sheet

Optimum Tar Remover

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Date of Revision: 07/30/2020 Revision: 01

Section 1 - Chemical Product and Company Identification

1.1 Product Name: Optimum Tar Remover

1.2 Synonym: Blend

1.3 Optimum Polymer Technologies, Inc., 5768 Distribution Drive, Memphis, TN 38141, 901.363.4955, Email: info@optimumcarcare.com

1.4 Recommended Use: Tar, Rubber and glue Remover

1.5 RESTRICTIONS on USE **None**

1.6 Emergency Response Number: CHEMTREC 800-424-9300 US and Canada

International Emergency Telephone Number: +1-703-527-3887

1.7 24 Hour Emergency Assistance: 1-901-292-4324

Section 2 - Hazards Identification

2.1 GHS HAZARD

Hazard Classes

Hazard Categories

Eye Irritation

Category 2

2.2 Signal Word: **Warning**



2.3 Pictograms:

Irritant

2.4 Hazard Statements

PHYSICAL HAZARDS: None

HEALTH HAZARDS H319: Causes serious eye irritation.

ENVIRONMENTAL HAZARDS: None

Optimum Tar Remover

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

PRECAUTIONARY STATEMENTS:

P102: Keep out of reach of children.
P264: Wash hands thoroughly after handling.
P280: Wear protective face and eye protection.

RESPONSE STATEMENTS:

P305+P351: IF IN EYES: Rinse cautiously with water for at least 15 minutes. If present, remove contact lenses if easy to do so.
P313+ P337: If eye irritation persists get medical attention.

STORAGE STATEMENTS:

P405: None

DISPOSAL STATEMENTS:

P501: Dispose of content and container following local, regional, national, or international regulations.

2.5 Hazards not otherwise classified (HNOC) or not covered by GHS: None

Section 3 - Composition / Information on Ingredients

3.1

CAS#	EC/ List #	Chemical Names	Percent	GHS Classification
67784-80-9	267-055-2	Soybean oil, Me ester	96-98	Not Classified
61790-12-3	263-107-3	Fatty acids, tall oil	1-2	Not Classified
110-97-4	202-820-9	1,1'-iminodipropan-2-ol	0.4-0.7	Eye Irrit.2A H319
628-63-7	211-047-3	Pentyl acetate	0-4-0.7	Flam. Liq. 3 H226
624-41-9	210-843-8	2-methylbutyl acetate	0.2-0.6	Flam. Liq. 3 H226

Note: No Fragrance Allergens in this blend.

3.3 Trade Secret Provision and Chemical Concentration Disclosure: Per OSHA and GHS Regulations, we have withheld specific percentages of the chemicals in this mixture. The chemical concentrations have been disclosed as a range and apply to the hazards as identified in this Safety Data Sheet.

Optimum Tar Remover

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

Section 4 - First Aid Measures

4.1 Eye: Contact with the eyes can cause serious Irritation. Symptoms may include discomfort or pain and redness.

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

4.2 Skin: Contact can cause skin irritation.

Skin: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately and wash clothing before reuse.

4.3 Ingestion: Causes headache, gastrointestinal pain, nausea.

Ingestion: Do NOT induce vomiting. Get medical aid immediately.

4.4 Inhalation: Can produce headaches, dizziness, nausea, and impaired vision.

Inhalation: Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

4.5 After first aid, get appropriate paramedic, or community medical support. The severity of outcome following exposure may be more related to the time between exposure and treatment, rather than the amount of the exposure. Therefore, there is a need for rapid treatment of any exposure.

4.6 Note to Physicians: If you determine that a medical emergency exists and the specific chemical identity is necessary for emergency or first-aid treatment, we will immediately disclose the specific chemical identity. Call CHEMTREC 800-424-9300 or 703-527-3887. We will require a written statement of need and confidentiality agreement, per OSHA's Trade Secret Regulations as soon as circumstances permit. In non-emergency situations, we will, upon written request, disclose a specific chemical identity.

Section 5 - Fire-Fighting Measures

5.1 General Fire Hazards: Not Flammable. Use water to cool containers exposed to fire.

5.2 Hazardous Combustion Products: Avoid fumes of burning products.

5.3 Extinguishing Media: Carbon dioxide, dry chemical, foam.

5.4 Fire Fighting Equipment/Instructions: Firefighters should wear full-face, self-contained breathing apparatus, and impervious protective clothing. Firefighters should avoid inhaling any combustion products.

Section 6 - Accidental Release Measures

6.1 Spill /Leak Procedures: Avoid breathing mist.

6.2 Spills: Contain and collect spillage with absorbent material such as sand, earth, vermiculite, or diatomaceous earth and place in a container for disposal.

Optimum Tar Remover

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

Section 7 - Handling and Storage

7.1 Handling Precautions: Wash hands and exposed skin thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid ingestion and contact with eyes, skin, or clothing. Avoid inhalation.

7.2 Storage Requirements: Keep container tightly closed. Store in a well-ventilated place.

Section 8 - Exposure Controls / Personal Protection

8.1

Chemical Names	ACGIH- TLV	OSHA - PEL
Soybean oil, Me ester	5mg/m ³ TWA	5mg/me TWA
Fatty acids, tall oil	None Shown	None Shown
1,1'-iminodipropan-2-ol	None Shown	None Shown
Pentyl acetate	50 ppm TWA	100 ppm TWA
2-methylbutyl acetate	50 ppm TWA	100 ppm TWA

8.2

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value.

OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits.

NOTE: TWA Means "TWA is the employee's average airborne exposure in any 8-hour work shift of a 40-hour workweek which shall not be exceeded.

8.3 Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below TLV/PELs. Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

8.4 Contaminated Equipment: Separate contaminated work clothes from street clothes and launder before reuse. Remove this material from your shoes and clean personal protective equipment.

8.5 Personal protective equipment

8.5.1 Respiratory protection

Where risk assessment shows, air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied-air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

8.5.2 Hand protection

Handle with gloves. Gloves must be inspected before use. Use proper glove removal techniques to avoid skin contact with this product. Dispose of contaminated gloves after use. Select gloves tested to the **ANSI/ISEA 105-2011** or European EN374 Standard.

Full contact: Viton

Splash contact: Viton

8.5.3 Eye protection

Safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Optimum Tar Remover

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

8.5.4 Skin and body protection

Impervious protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

8.6 Protective Clothing Pictograms



Section 9 - Physical and Chemical Properties

9.1

Physical State: Liquid

Appearance: Red/Burgundy

Odor: Mild

Vapor Pressure: Not Available

Vapor Density (Air=1): Not Available

Specific Gravity (H₂O=1,): Not Available

Relative Density: Not Available

Odor Threshold: Not Available

Flammability (solid, gas): Not Applicable

Evaporation rate: Not Available

Partition coefficient octanol/water: Not Available

Water Solubility: 100%

Flash Point: >200°F

Boiling Point: >212°F, (>100 °C)

Freezing/Melting Point: Not Available

Auto ignition Temperature: Not Available

LEL: Not Available

UEL: Not Available

Viscosity: Not Available

Auto ignition Temperature: Not Available

Decomposition temperature: Not Available

pH: Not Available

Grams VOC less water: 0.60

Section 10 - Stability and Reactivity

10.1 Stability: Stable under ordinary conditions of use and storage.

10.2 Polymerization: Hazardous polymerization has not been reported.

10.3 Chemical Incompatibilities: Strong oxidizing agents.

10.4 Hazardous Decomposition Products: Carbon monoxide.

10.5 Conditions to Avoid: Avoid freezing and temperatures over 104°F (40°C).

Section 11- Toxicological Information

11.1

Acute Toxicity Estimate for this blend (ATE)

ATE (Oral): >2000 mg/kg

ATE (Dermal): >2000 mg/kg

ATE (Inhalation vapor/mist): >20 mg/l

11.2 Route of Entry: Eye Contact

Optimum Tar Remover

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

11.3 Aspiration Hazard: European Chemical Agency Data Base shows that no components of this product may be fatal if swallowed and enters airways.

11.4 Mutagenicity: OECD Guideline Test results found in the European Chemical Agency Data Base show no components of this product to cause genetic defects.

11.5 Skin Corrosion/Irritation: OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause skin irritation.

11.6 Serious Eye Damage/Irritation: OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause eye irritation.

11.7 Reproductive toxicity: OECD Guideline Test results found in the European Chemical Agency Data Base show no components of this product to cause damage to fertility or the unborn child.

11.8 Skin Sensitization OECD Guideline Tests results found in the European Chemical Agency Data Base show no components of this product to cause skin sensitivity.

11.9 Respiratory Sensitization OECD Guideline Tests results found in the European Chemical Agency Data Base show no components of this product to cause respiratory sensitivity.

11.10 Specific Target Organ Toxicity (Single Exposure): Eyes.

11.11 Target Organ Toxicity (Repeated Exposure): Eyes.

11.12 Signs and Symptoms: Eye discomfort or pain and redness.

11.11 Carcinogenicity: OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause cancer.

Soybean oil, Me ester	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
Fatty acids, tall oil	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
1,1'-iminodipropan-2-ol	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
Pentyl acetate	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
2-methylbutyl acetate	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%

Optimum Tar Remover

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

Section 12 - Ecological Information

12.1

Product Name	Results	Species	Exposure
Soybean oil, Me ester	No data available		
Fatty acids, tall oil	LD50 1000 mg/l	Fish	96 hours
1,1'-iminodipropan-2-ol	LD50 1000 mg/l	Fish	96 hours
Pentyl acetate	LD50 65 mg/l	Fish	96 hours
2-methylbutyl acetate	None Shown		

Toxicity: OECD Guideline Test results found in the European Chemical Agency Database show no components of this product to cause long-term harmful toxicity to aquatic life. However, the percentage of the products are below reportable quantities.

12.2 Mobility: Inconclusive technical data.

12.3 Persistence/degradability: Inconclusive technical data.

12.4 Bioaccumulation: Inconclusive technical data.

12.5 Other adverse effects: Inconclusive technical data.

Section 13 - Disposal Considerations

13.1 Disposal: DO NOT REUSE EMPTY CONTAINER! The container should be emptied before discard. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.

Section 14 - Transport Information

14.1 DOT Transport Information

Not Regulated

Section 15 - Regulatory Information

15.1 US Regulations

US. Toxic Substances Control Act: All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30.

Toxic Release Inventory (TRI): This product doesn't contain chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know- Act of 1986 (40 CFR 372).

CERCLA Hazardous Substances and corresponding RQs: Pentyl acetate 5000 lbs.,

SARA Community Right-to-Know Program: All components in this blend

Clean Water Act: None

Clean Air Act: None

Optimum Tar Remover

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

OSHA: All ingredients are regulated by 29 CFR 1910.1200.

State Regulations

California prop. 65

This product contains no chemicals known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

Chemicals on the following State Right to Know Lists:

Massachusetts: All components of this product are on the Massachusetts Inventory or are exempt from Inventory requirements

New Jersey All components of this product are on the New Jersey inventory or are exempt from Inventory requirements

Pennsylvania: All components of this product) are on the Pennsylvania Inventory or are exempt from Inventory requirements.

15.4 International Regulations:

Australian Inventory of Chemical Substances: All components of this product are on the Inventory or are exempt from Inventory requirements.

National Existing Chemical Inventory in Taiwan: All components of this product are on the Inventory or are exempt from Inventory requirements.

Philippine Inventory of Chemicals and Chemical Substances All components of this product are on the Inventory or are exempt from Inventory requirements.

China Existing Chemical Inventory: All components of this product are on the Inventory or are exempt from Inventory requirements.

Section 16 - Other Information

16.1 Disclaimer: The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.

16.2 References: CHEMpendium database of the Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller online, European Chemical Agency Data Base, and MSDS and SDS of chemicals in this mixture.

16.4 SDS Preparation Date 04/08/2019

SDS Previous Issue Date: None

SDS Revision Date:08/03/2020 Revised Sections: 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16

Prepared by SJC Compliance Education, Inc.
1319 Varese Dr.
Pearland, TX 77581
steve@sjcedu.org

