



## Safety Data Sheet

### Optimum Car Wax

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Date of Revision: 06/09/2023 Revision: 02

#### Section 1 - Chemical Product and Company Identification

- 1.1 **Product Name:** Optimum Car Wax
- 1.2 **Synonym:** Blend
- 1.3 Optimum Polymer Technologies, Inc., 5768 Distribution Drive, Memphis, TN 38141, 901.363.4955, Email: info@optimumcarcare.com
- 1.4 Recommended Use: **Automotive Protection**
- 1.5 **RESTRICTIONS on USE** **None**
- 1.6 Emergency Response Number: CHEMTREC 800-424-9300 US and Canada  
International Emergency Telephone Number: +1-703-527-3887
- 1.7 24 Hour Emergency Assistance: 1-901-292-4324

#### Section 2 - Hazards Identification

### 2.1 GHS HAZARD

#### Hazard Classes

**Eye Irritation**  
**Skin Irritation**  
**Skin Sensitization**  
**Harmful to Aquatic Life long Lasting Effects**

#### Hazard Categories

**Category 2A**  
**Category 2**  
**Category 1**  
**Category 3**

### 2.2 Signal Word: **Warning**



### 2.3 Pictograms:

Irritant

### 2.4 Hazard Statements

PHYSICAL HAZARDS:

None

HEALTH HAZARDS

H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.

## Optimum Car Wax

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

**H319: Causes serious eye irritation.**

**ENVIRONMENTAL HAZARDS:**

**H312: Harmful to aquatic life long-lasting effects.**

**PRECAUTIONARY STATEMENTS:**

**P102: Keep out of reach of children.**  
**P261: Avoid breathing mist.**  
**P264: Wash hands thoroughly after handling.**  
**P272: Contaminated work clothing should not be allowed out of the workplace.**  
**P273: Avoid release to the environment.**  
**P280: Wear protective gloves, clothing, and eye protection.**

**RESPONSE STATEMENTS:**

**P302+P352: IF ON SKIN: Wash with plenty of water.**  
**P305+P351: IF IN EYES: Rinse cautiously with water for at least 15 minutes. If present, remove contact lenses if easy to do so.**  
**P313+P332+P333+P337: If skin or eye irritation or skin rash persists, get medical attention.**  
**P362+P363+P364: IF ON CLOTHING: Take off contaminated clothing and wash it before reuse.**

**STORAGE STATEMENTS:**

**None**

**DISPOSAL STATEMENTS:**

**P501: Dispose of content and container following local, regional, national, or international regulations.**

**2.5** Hazards not otherwise classified (HNOC) or not covered by GHS: None

## Optimum Car Wax

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

### Section 3 - Composition / Information on Ingredients

#### 3.1

| CAS#        | EC/ List # | Chemical Names  | Percent     | GHS Classification  |
|-------------|------------|---|-------------|---|
| 104810-47-1 | 400-830-7  | Benzotriazole Hydroxyphenyl Polymer reaction mass   | 0.6-3       | Skin Sens1 H317, Aquatic Chronic 2 H411   |
| 104810-48-2 | 400-830-7  | Poly(oxy-1,2-ethanediyl),.alpha.-[3-[3-(2hbenzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxy phenyl | 0.6-3       | Skin Sens1 H317, Aquatic Chronic 2 H411   |
| 831241-93-1 | 643-042-0  | Dimethyl, Methyl Aminoethylaminoisobutyl siloxane, methoxy & hydroxy terminated                     | 0.5-5       | Skin Irrit H315, Eye Irrit. H319  |
| 8015-86-9   | 232-399-4  | Carnauba wax  | 0.5-5       | Not classified  |
| N/A         | N/A        | Pina Colada Allergens<br>84-66-2 Diethyl Phthalate  | 0.1 -1%     | <b>Coumarin:</b> Acute<br><b>Diethyl Phthalate:</b><br>Not classified   |
| 151-21-3    | 205-788-1  | Sodium dodecyl sulphate   | .02- .05    | Acute Tox. 4 H302<br>Skin Irrit. 2 H315, Eye Irrit. 2 H319, Aquatic Chronic 3 H412  |
| 68412-54-4  | 500-209-1  | Nonylphenol, branched, ethoxylated  | .02- .05    | Acute Tox. 4 Skin Irrit. 2 H315, Eye Dam. 1 H318, Aquatic Chronic 3 H412  |
| 10377-60-3  | 233-826-7  | Magnesium nitrate   | .0056-.008  | Eye Irrit 2A H319   |
| 26172-55-4  | 247-500-7  | 5-chloro-2-methyl-2H-isothiazol-3-one   | .0044-.0056 | Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr.1B H314, Skin Sens 1 H317, Eye Dam 1 H318, Acute Tox. 3 H320, Aquatic Acute 1 H400, Aquatic Chronic 1 H4010 |
| 2682-20-4   | 200-239-6  | 2-methyl-2H-isothiazol-3-one  | .0012-.002  | Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Sens 1 H317, Eye Dam 1 H318, STOT SE 3 H335, Aquatic Acute 1 H400  |

# Optimum Car Wax

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

| CAS#      | EC/ List # | Chemical Names   | Percent     | GHS Classification  |
|-----------|------------|------------------|-------------|---|
| 3251-23-8 | 221-835-5  | Copper dinitrate | .0006.0068  | Acute Tox. 3<br>H301Skin Irrit.2<br>H315, Eye Irrit. 3<br>H319, Aquatic Acute<br>1 H400 |
| 7732-18-5 | 231-791-2  | Water            | 91.89-94.69 | Not Classified  |

**3.3 Trade Secret Provision and Chemical Concentration Disclosure:** Per OSHA and GHS Regulations, we have withheld specific percentages of the chemicals in this mixture. The chemical concentrations have been disclosed as a range and apply to the hazards as identified in this Safety Data Sheet.

## Section 4 - First Aid Measures

**4.1 Eye:** Contact with the eyes can cause serious irritation. Symptoms may include discomfort or pain and redness.

**Eyes:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

**4.2 Skin:** Contact can cause skin irritation.

**Skin:** Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately and wash clothing before reuse.

**4.3 Ingestion:** Causes headache, gastrointestinal pain, nausea.

**Ingestion:** Do NOT induce vomiting. Get medical aid immediately.

**4.4 Inhalation:** Can produce headaches, dizziness, nausea, and impaired vision.

**Inhalation:** Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

**4.5 After first aid, get appropriate paramedic, or community medical support.** The severity of outcome following exposure may be more related to the time between exposure and treatment, rather than the amount of the exposure. Therefore, there is a need for rapid treatment of any exposure.

**4.6 Note to Physicians:** If you determine that a medical emergency exists and the specific chemical identity is necessary for emergency or first-aid treatment, we will immediately disclose the specific chemical identity. Call CHEMTREC 800-424-9300 or 703-527-3887. We will require a written statement of need and confidentiality agreement, per OSHA's Trade Secret Regulations as soon as circumstances permit. In non-emergency situations, we will, upon written request, disclose a specific chemical identity.

## Section 5 - Fire-Fighting Measures

**5.1 General Fire Hazards:** NOT FLAMMABLE. Use water to cool containers exposed to fire.

**5.2 Hazardous Combustion Products:** Avoid fumes of burning products.

**5.3 Extinguishing Media:** Carbon dioxide, dry chemical, foam.

# Optimum Car Wax

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

**5.4 Fire Fighting Equipment/Instructions:** Firefighters should wear full-face, self-contained breathing apparatus, and impervious protective clothing. Firefighters should avoid inhaling any combustion products.

## Section 6 - Accidental Release Measures

**6.1 Spill /Leak Procedures:** Avoid breathing mist.

**6.2 Spills:** Contain and collect spillage with absorbent material such as sand, earth, vermiculite, or diatomaceous earth and place in a container for disposal.

## Section 7 - Handling and Storage

**7.1 Handling Precautions:** Wash hands and exposed skin thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid ingestion and contact with eyes, skin, or clothing. Avoid inhalation.

**7.2 Storage Requirements:** Keep container tightly closed. Store in a well-ventilated place.

## Section 8 - Exposure Controls / Personal Protection

### 8.1

| Chemical Names  | ACGIH- TLV | OSHA - PEL |
|---|------------|------------|
| Dimethyl, Methyl Aminoethylaminoisobutyl siloxane, methoxy & hydroxy terminated                     | None Shown | None Shown |
| Carnauba wax  | None Shown | None Shown |
| Benzotriazole Hydroxyphenyl Polymer reaction mass   | None Shown | None Shown |
| Poly(oxy-1,2-ethanediyl),.alpha.-[3-[3-(2Hbenzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxy phenyl | None Shown | None Shown |
| Sodium dodecyl sulphate   | None Shown | None Shown |
| Nonylphenol, branched, ethoxylated  | None Shown | None Shown |
| Magnesium nitrate   | None Shown | None Shown |
| 5-chloro-2-methyl-2H-isothiazol-3-one   | None Shown | None Shown |
| 2-methyl-2H-isothiazol-3-one  | None Shown | None Shown |
| Copper dinitrate  | 1mg/m3 TWA | 1mg/m3 TWA |

### 8.2

**ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value.**

**OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits.**

**NOTE: TWA Means** "TWA is the employee's average airborne exposure in any 8-hour work shift of a 40-hour workweek which shall not be exceeded.

**8.3 Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below TLV/PELs. Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

# Optimum Car Wax

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

**8.4 Contaminated Equipment:** Separate contaminated work clothes from street clothes and launder before reuse. Remove this material from your shoes and clean personal protective equipment.

## 8.5 Personal protective equipment

### 8.5.1 Respiratory protection

Where risk assessment shows, air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied-air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### 8.5.2 Hand protection

Handle with gloves. Gloves must be inspected before use. Use proper glove removal techniques to avoid skin contact with this product. Dispose of contaminated gloves after use. Select gloves tested to the **ANSI/ISEA 105-2011** or European EN374 Standard.

Full contact: Viton

Splash contact: Viton

### 8.5.3 Eye protection

Safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### 8.5.4 Skin and body protection

Impervious protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## 8.6 Protective Clothing Pictograms



## Section 9 - Physical and Chemical Properties

### 9.1

**Physical State:** Liquid

**Appearance:** Milky white

**Odor:** Mild

**Vapor Pressure:** Not Available

**Vapor Density (Air=1):** Not Available

**Specific Gravity (H<sub>2</sub>O=1,):** Not Available

**Relative Density:** Not Available

**Odor Threshold:** Not Available

**Flammability (solid, gas):** Not Applicable

**Evaporation rate:** Not Available

**Partition coefficient octanol/water:** Not Available

**Water Solubility:** 100%

**Flash Point:** Not Available

**Boiling Point:** 212°F, (100 °C)

**Freezing/Melting Point:** 32°F, 0 °C

**Autoignition Temperature:** Not Available

**LEL:** Not Available

**UEL:** Not Available

**Viscosity:** Not Available

**Decomposition temperature:** Not Available

**pH:** 7

**Grams VOC less water:** 6g

# Optimum Car Wax

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

## Section 10 - Stability and Reactivity

- 10.1 Stability:** Stable under ordinary conditions of use and storage.
- 10.2 Polymerization:** Hazardous polymerization has not been reported.
- 10.3 Chemical Incompatibilities:** Strong oxidizing agents.
- 10.4 Hazardous Decomposition Products:** Carbon monoxide.
- 10.5 Conditions to Avoid:** Avoid freezing and temperatures over 104°F (40°C).

## Section 11- Toxicological Information

### 11.1

Acute Toxicity Estimate for this blend (ATE)

ATE (Oral): No indication of a significant effect on humans.

ATE (Dermal): No indication of significant effect in humans.

ATE (Inhalation vapor/mist): No indication of significant effect in humans.

**11.1.1 OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause Oral Toxicity.**

**11.1.2 OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to be Inhalation Toxicity.**

**11.1.3 OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to Dermal Toxicity.**

**11.2 Route of Entry:** Skin and Eye Contact

**11.3 Aspiration Hazard:** European Chemical Agency Data Base shows that no components of this product may be fatal if swallowed and enters airways.

**11.4 Mutagenicity:** OECD Guideline Test results found in the European Chemical Agency DataBase show no components of this product to cause genetic defects.

**11.5 Skin Corrosion/Irritation:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause skin irritation.

**11.6 Serious Eye Damage/Irritation:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause serious eye irritation.

**11.7 Reproductive toxicity:** OECD Guideline Test results found in the European Chemical Agency DataBase show no components of this product to cause damage to fertility or the unborn child.

**11.8 Skin Sensitization** OECD Guideline Tests results found in the European Chemical Agency DataBase show components of this product to cause skin sensitivity.

**11.9 Respiratory Sensitization** OECD Guideline Tests results found in the European Chemical Agency DataBase show no components of this product to cause respiratory sensitivity.

## Optimum Car Wax

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

**11.10 Specific Target Organ Toxicity (Single Exposure):** Skin and Eyes.

**11.11 Target Organ Toxicity (Repeated Exposure):** Skin and Eyes.

**11.12 Signs and Symptoms:** Include skin and eye discomfort or pain and redness.

**11.13 Carcinogenicity:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause cancer.

|   |  |  |  |  |
|---|--|--|--|--|
| Dimethyl, Methyl Aminoethylaminoisobutyl siloxane, methoxy & hydroxy terminated                     | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% |
| Carnauba wax  | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% |
| Benzotriazole Hydroxyphenyl Polymer reaction mass   | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% |
| Poly(oxy-1,2-ethanediyl),.alpha.-[3-[3-(2Hbenzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxy phenyl | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% |
| Sodium dodecyl sulphate   | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% |
| Nonylphenol, branched, ethoxylated  | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% |
| Magnesium nitrate   | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% |
| 5-chloro-2-methyl-2H-isothiazol-3-one   | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% |
| 2-methyl-2H-isothiazol-3-one  | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% |
| Copper dinitrate  | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% | No component of this product present at levels greater than or equal to 0.1% |



# Optimum Car Wax

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

## Section 12 - Ecological Information

### 12.1

| Product Name  | Results   | Species | Exposure |
|---|---|---------|----------|
| Dimethyl, Methyl Aminoethylaminoisobutyl siloxane, methoxy & hydroxy terminated                     | None Shown  |         |          |
| Carnauba wax  | None Shown  |         |          |
| Benzotriazole Hydroxyphenyl Polymer reaction mass   | Expected to be harmful to aquatic organisms. May cause long-term adverse effects in the environment |         |          |
| Poly(oxy-1,2-ethanediyl),.alpha.-[3-[3-(2hbenzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxy phenyl | Expected to be harmful to aquatic organisms. May cause long-term adverse effects in the environment |         |          |
| Sodium dodecyl sulphate   | LD50 29/mg/l  | Fish    | 96 hours |
| Nonylphenol, branched, ethoxylated  | LD50 7.9/mg/l   | Fish    | 96 hours |
| Magnesium nitrate   | None Shown  |         |          |
| 5-chloro-2-methyl-2H-isothiazol-3-one   | LC50 0.19 mg/l  | Fish    | 96 hours |
| 2-methyl-2H-isothiazol-3-one  | EC50 0.18mg/l   | Daphnia | 48 hours |
| Copper dinitrate  | None Shown  |         |          |

**Toxicity:** OECD Guideline Test results found in the European Chemical Agency DataBase show components of this product to cause harmful long-term toxicity to aquatic life.

**12.2 Mobility:** Inconclusive technical data.

**12.3 Persistence/degradability:** Inconclusive technical data.

**12.4 Bioaccumulation:** Inconclusive technical data.

**12.5 Other adverse effects:** Inconclusive technical data.

## Section 13 - Disposal Considerations

**13.1 Disposal: DO NOT REUSE EMPTY CONTAINER!** The container should be emptied before discard. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.

## Section 14 - Transport Information

### 14.1 US Transport Information

Not regulated

### 14.2 IMDG Transport Information

Not regulated

### 14.3 UN Dangerous Goods Transport Information

Not regulated

## Optimum Car Wax

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

### Section 15 - Regulatory Information

#### 15.1 US Regulations

**US. Toxic Substances Control Act:** All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30.

**Toxic Release Inventory (TRI):** This product doesn't contain chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know- Act of 1986 (40 CFR 372).

**CERCLA Hazardous Substances and corresponding RQs:** None Shown

**SARA Community Right-to-Know Program:** All components in this blend

**Clean Water Act:** None

**Clean Air Act:** None

**OSHA:** All ingredients are regulated by 29 CFR 1910.1200.

#### State Regulations

**California prop. 65:** None

#### Chemicals on the following State Right to Know Lists:

**Massachusetts:** All components of this product are on the Massachusetts Inventory or are exempt from Inventory requirements

**New Jersey:** All components of this product are on the New Jersey inventory or are exempt from Inventory requirements

**Pennsylvania:** All components of this product) are on the Pennsylvania Inventory or are exempt from Inventory requirements.

#### 15.4 International Regulations:

**Australian Inventory of Chemical Substances:** All components of this product are on the Inventory or are exempt from Inventory requirements.

**National Existing Chemical Inventory in Taiwan:** All components of this product are on the Inventory or are exempt from Inventory requirements.

**Philippine Inventory of Chemicals and Chemical Substances:** All components of this product are on the Inventory or are exempt from Inventory requirements.

**China Existing Chemical Inventory:** All components of this product are on the Inventory or are exempt from Inventory requirements.

### Section 16 - Other Information

**16.1 Disclaimer:** The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.

## Optimum Car Wax

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

**16.2 References:** CHEMpendium database of the Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller online, European Chemical Agency Data Base, and MSDS and SDS of chemicals in this mixture.

**16.4 SDS Preparation Date** 06/09/2023

**SDS Previous Issue Date:** 07/16/2020

**SDS Revision Date:** 07/12/2020 Revised Sections: 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16

**SDS Revision Date:** 07/16/2020 Revised Sections: 3, 8, 15

Prepared by SJC Compliance Education, Inc.

1319 Varese Dr.

Pearland TX. 77581

[steve@sicedu.org](mailto:steve@sicedu.org)