

Safety Data Sheet

Optimum GPS

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Date of Revision: 06/09/2023 Revision: 02

Section 1 - Chemical Product and Company Identification

- 1.1 Product Name: Optimum GPS
- 1.2 Synonym: Blend
- 1.3 Optimum Polymer Technologies, Inc., 5768 Distribution Drive, Memphis, TN 38141,
- 901.363.4955, Email: info@optimumcarcare.com
- 1.4 Recommended Use: Cleaner Wax
- 1.5 RESTRICTIONS on USE: Not recommended for none automotive application
- 1.6 Emergency Response Number: CHEMTREC 800-424-9300 US and Canada

International Emergency Telephone Number: +1-703-527-3887

1.7 24 Hour Emergency Assistance: 1-901-292-4324

Section 2 - Hazards Identification

2.1 GHS HAZARD

Hazard Classes

Combustible liquid Eye Irritation Skin Irritation Aspiration Hazard **Hazard Categories**

Category 4

Category 2

Category 2

Category 2

2.2 Signal Word: Warning



2.4 Hazard Statements

PHYSICAL HAZARDS: H227: Combustible liquid

HEALTH HAZARDS H305: May be harmful if swallowed and enter

the airways.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

ENVIRONMENTAL HAZARDS: None

PRECAUTIONARY STATEMENTS: P102: Keep out of reach of children.

P210: Keep away from sparks and open flames-

No smoking.

P261: Avoid breathing mist.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves and eye

protection.

RESPONSE STATEMENTS: P301 +P310+ P331: IF SWALLOWED:

Immediately call the National POISON CENTER at 800-222-1222. DO NOT induce vomiting. P302+P352: IF ON SKIN: Wash with plenty of

water.

P305+P351: IF IN EYES: Rinse cautiously with water for at least 15 minutes. If present, remove

contact lenses if easy to do so.

P313+P332+P333+P337: If skin or eye irritation or skin rash, persists get medical attention. P362+P363+P364: IF ON CLOTHING: Take off contaminated clothing and wash it before

reuse.

P370+P378: In case of fire, use foam, carbon dioxide, dry chemical to extinguish the fire.

STORAGE STATEMENTS: P405: Store locked up.

DISPOSAL STATEMENTS: P501: Dispose of content and container

following local, regional, national, or

international regulations.

2.5 Hazards not otherwise classified (HNOC) or not covered by GHS: None

Optimum GPS Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

Section 3 - Composition / Information on Ingredients

3.1

CAS#	EC/ List #	Chemical Names	Percent	GHS Classification
64742-47-8	265-149-8	Distillates (petroleum), hydrotreated light	15-25	Asp. Tox. 1 H304
92704-41-1	296-473-8	Kaolin, calcined	10-12	Not Classified
831241-93-1	643-042-0	Dimethyl, Methyl Aminoethylaminoisobutyl siloxane, methoxy & hydroxy terminated	1-5	Skin Irrit.2 H315, Eye Irrit. 2 H319
13463-67-7	236-675-5	Titanium dioxide	1-2	Not Classified
61790-12-3	263-107-3	Fatty acids, tall oil	1-4	Not Classified
110-97-4	202-820-9	1,1'-iminodipropan-2-ol	0.8-1	Eye Irrit.2A H319
63148-62-9	613-156-5	Polydimethylsiloxanes	0.5-1.5	Not Classified
151-21-3	205-788-1	Sodium dodecyl sulphate	0.5-1	Acute Tox. 4 H302, Skin Irrit. 2 H315, Eye Dam. H318, Aquatic Chronic 3 H412
68412-54-4	500-209-1	Nonylphenol, branched, ethoxylated	0.5-1	Aquatic Acute 1 H400
27306-78-1	608-078-3	3-(2-methoxyethoxy)propyl-methylbis(trimethylsilyloxy)silane	0.1-0.5	Eye Irrit. H319, Acute Tox.4 H332, Aquatic Chronic 2 H411
628-63-7	211-047-3	Pentyl acetate	0.1-0.4	Flam. Liq 3 H226

Optimum GPS Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

624-41-9	210-843-8	2-methylbutyl acetate	0.1-0.3	Flam. Liq 3 H226
10377-60-3	233-826-7	Magnesium nitrate	.005008	Eye Irrit 2A
26172-55-4	247-500-7	5-chloro-2-methyl-2H-isothiazol-3-one	.004006	Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr.1B H314, Skin Sens 1 H317, Eye Dam 1 H318, Acute Tox. 3 H320, Aquatic Acute 1 H400, Aquatic Chronic 1 H401
2682-20-4	200-239-6	2-methyl-2H-isothiazol-3-one	.00050007	Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Sens 1 H317, Eye Dam 1 H318, STOT SE 3 H335, Aquatic Acute 1 H400
3251-23-8	221-835-5	Copper dinitrate	.0006006	Acute Tox. 3 H301Skin Irrit.2 H315, Eye Irrit. 3 H319, Aquatic Acute 1 H400
7732-18-5	231-791-2	Water	56-59	Not Classified

Note: No Fragrance Allergens in this blend.

3.3 Trade Secret Provision and Chemical Concentration Disclosure: Per OSHA and GHS Regulations, we have withheld specific percentages of the chemicals in this mixture. The chemical concentrations have been disclosed as a range and apply to the hazards as identified in this Safety Data Sheet.

Section 4 - First Aid Measures

4.1 Eye: Contact with the eyes can cause serious irritation. Symptoms may include discomfort or pain and redness.

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

4.2 Skin: Contact can cause skin irritation.

Skin: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately and wash clothing before reuse.

4.3 Ingestion: Causes headache, gastrointestinal pain, nausea.

Ingestion: Do NOT induce vomiting. Get medical aid immediately.

4.4 Inhalation: Can produce headaches, dizziness, nausea, and impaired vision.

Inhalation: Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

- **4.5** After first aid, get appropriate paramedic, or community medical support. The severity of outcome following exposure may be more related to the time between exposure and treatment, rather than the amount of the exposure. Therefore, there is a need for rapid treatment of any exposure.
- 4.6 Note to Physicians: If you determine that a medical emergency exists and the specific chemical identity is necessary for emergency or first-aid treatment, we will immediately disclose the specific chemical identity. Call CHEMTREC 800-424-9300 or 703-527-3887. We will require a written statement of need and confidentiality agreement, per OSHA's Trade Secret Regulations as soon as circumstances permit. In non-emergency situations, we will, upon written request, disclose a specific chemical identity.

Section 5 - Fire-Fighting Measures

- **5.1 General Fire Hazards:** COMBUSTIBLE. Use water to cool containers exposed to fire.
- **5.2 Hazardous Combustion Products:** Avoid fumes of burning products.
- **5.3 Extinguishing Media:** Carbon dioxide, dry chemical, foam.
- **5.4** Fire Fighting Equipment/Instructions: Firefighters should wear full-face, self-contained breathing apparatus, and impervious protective clothing. Firefighters should avoid inhaling any combustion products.

Section 6 - Accidental Release Measures

- **6.1 Spill /Leak Procedures:** Avoid breathing mist.
- **6.2 Spills:** Contain and collect spillage with absorbent material such as sand, earth, vermiculite, or diatomaceous earth and place in a container for disposal.

Section 7 - Handling and Storage

- **7.1 Handling Precautions:** Wash hands and exposed skin thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid ingestion and contact with eyes, skin, or clothing. Avoid inhalation.
- **7.2 Storage Requirements:** Keep container tightly closed. Store in a well-ventilated place.

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

Section 8 - Exposure Controls / Personal Protection

8.1

Chemical Names	ACGIH- TLV	OSHA - PEL
Distillates (petroleum), hydrotreated light	200mg/m3	500 ppm TWA
Kaolin, calcined	5mg/m3 TWA	2mg/m3 TWA
	· ·	Ğ
Dimethyl, Methyl Aminoethylaminoisobutyl	None Shown	None shown
siloxané, methóxy & hydroxy terminated	Trono Chown	None dilewii
Titanium dioxide	10mg/m3	10/mg/m3
	-	-
Fatty acids, tall oil	None Shown	None Shown
	rione chemi	Trong Gnown
4.41 insing alignous are O. al	Nanaahaaa	Nega abassa
1,1'-iminodipropan-2-ol	None shown	None shown
Polydimethylsiloxanes	None shown	None shown
Sodium dodecyl sulphate	None shown	None shown
Nonylphenol, branched, ethoxylated	None shown	None shown
3-(2-methoxyethoxy)propyl-methyl-	None shown	None shown
bis(trimethylsilyloxy)silane		
Pentyl acetate	50 ppm TWA	100 ppm TWA
2-methylbutyl acetate	50 ppm TWA	100 ppm TWA
Magnesium nitrate	None Shown	None Shown
5-chloro-2-methyl-2H-isothiazol-3-one	None Shown	None Shown
2-methyl-2H-isothiazol-3-one	None Shown	None Shown
Copper dinitrate	1mg/m3 TWA	1mg/m3 TWA

8.2

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value.

OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits.

NOTE: TWA Means "TWA is the employee's average airborne exposure in any 8-hour work shift of a 40-hour

- workweek which shall not be exceeded.

 8.3 Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations
- work area by controlling it at its source.

 8.4 Contaminated Equipment: Separate contaminated work clothes from street clothes and launder before

reuse. Remove this material from your shoes and clean personal protective equipment.

below TLV/PELs. Local exhaust ventilation is preferred because it prevents contaminant dispersion into the

8.5 Personal protective equipment

8.5.1 Respiratory protection

Where risk assessment shows, air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied-air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

8.5.2 Hand protection

Handle with gloves. Gloves must be inspected before use. Use proper glove removal techniques to avoid skin contact with this product. Dispose of contaminated gloves after use. Select gloves tested to the **ANSI/ISEA 105-2011** or European EN374 Standard.

Full contact: Viton Splash contact: Viton

8.5.3 Eye protection

Safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

8.5.4 Skin and body protection

Impervious protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

8.6 Protective Clothing Pictograms





Section 9 - Physical and Chemical Properties

9.1

Physical State: Liquid Appearance: Thick Odor: Fruitv

Vapor Pressure: Not Available Vapor Density (Air=1): 1.01

Specific Gravity (H₂O=1,): Not Available

Relative Density: Not Available Odor Threshold: Not Available

Flammability (solid, gas): Not Applicable

Evaporation rate: Not Available

Partition coefficient octanol/water: Not Available

Water Solubility: Not Miscible Flash Point: 145.4°F, (63 °C) Boiling Point: 212°F, (100 °C) Freezing/Melting Point: 32°F, 0 °C

LEL: Not Available **UEL:** Not Available

Viscosity: <20.5mm2/s @104°F 40°C Autoignition Temperature: Not Available Decomposition temperature: Not Available

pH: None

Grams VOC less water: 100grams/liter

Section 10 - Stability and Reactivity

10.1 Stability: Stable under ordinary conditions of use and storage.

10.2 Polymerization: Hazardous polymerization has not been reported.

10.3 Chemical Incompatibilities: Strong oxidizing agents.

10.4 Hazardous Decomposition Products: Carbon monoxide.

10.5 Conditions to Avoid: Avoid freezing and temperatures over 104°F (40°C).

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

Section 11- Toxicological Information

11.1

Acute Toxicity Estimate for this blend (ATE)

ATE (Oral): >5000 mg/kg ATE (Dermal): >2000 mg/kg

ATE (Inhalation vapor/mist): >20 mg/l

- **11.1.1** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause Oral Toxicity.
- **11.11.2** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to be Inhalation Toxicity.
- **11.11.3** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to Dermal Toxicity.
- 11.2 Route of Entry: Skin and Eye Contact
- **11.3 Aspiration Hazard:** European Chemical Agency Data Base shows that components of this product may be harmful if swallowed and enters airways.
- **11.4 Mutagenicity:** OECD Guideline Test results found in the European Chemical Agency DataBase show no components of this product to cause genetic defects.
- **11.5 Skin Corrosion/Irritation:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause skin irritation.
- **11.6 Serious Eye Damage/Irritation:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause serious eye irritation.
- **11.7 Reproductive toxicity**: OECD Guideline Test results found in the European Chemical Agency Database show no components of this product to cause damage to fertility or the unborn child.
- **11.8 Skin Sensitization** OECD Guideline Tests results found in the European Chemical Agency DataBase show components of this product to cause skin sensitivity.
- **11.9 Respiratory Sensitization** OECD Guideline Tests results found in the European Chemical Agency DataBase show no components of this product to cause respiratory sensitivity.
- **11.10 Specific Target Organ Toxicity (Single Exposure):** Skin and Eyes.
- 11.11 Target Organ Toxicity (Repeated Exposure): Skin, Eyes.
- **11.12 Signs and Symptoms:** Include skin and eye discomfort or pain and redness, headache, dizziness, Drowsiness. Symptoms may be delayed.
- **11.13 Carcinogenicity:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause cancer.

Optimum GPS Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

Distillates (petroleum), hydrotreated light	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
Kaolin, calcined	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
Dimethyl, Methyl Aminoethylaminoisobutyl siloxane, methoxy & hydroxy terminated	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
Titanium dioxide	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
Fatty acids, tall oil	No component of this product present at levels greater than or equal to 0.1%	product present at	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
1,1'-iminodipropan-2-ol	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
Polydimethylsiloxanes	No component of this product present at levels greater than or equal to 0.1%	r ·	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
Sodium dodecyl sulphate	No component of this product present at levels greater than or equal to 0.1%	product present at	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
Nonylphenol, branched, ethoxylated	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
3-(2-methoxyethoxy)propyl-methyl- bis(trimethylsilyloxy)silane	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
Pentyl acetate	No component of this product present at levels greater than or equal to 0.1%		No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
2-methylbutyl acetate	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
Magnesium nitrate	No component of this product present at levels greater than or equal to 0.1%	product present at	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
5-chloro-2-methyl-2H-isothiazol-3-one	No component of this product present at levels greater than or equal to 0.1%		No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
2-methyl-2H-isothiazol-3-one	No component of this product present at levels greater than or equal to 0.1%		No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%
Copper dinitrate	No component of this product present at levels greater than or equal to 0.1%	product present at	No component of this product present at levels greater than or equal to 0.1%	No component of this product present at levels greater than or equal to 0.1%

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

Section 12 - Ecological Information

12.1

Product Name	Results	Species	Exposure
Distillates (petroleum), hydrotreated light	NOEC 2mg/l	Fish	96 hours
Kaolin, calcined	No information available		
Dimethyl, Methyl	None shown		
Aminoethylaminoisobutyl siloxane,			
methoxy & hydroxy terminated			
Titanium dioxide	LD50 1000 mg/l	Fish	96 hours
Fatty acids, tall oil	LD50 1000 mg/l	Fish	96 hours
1,1'-iminodipropan-2-ol	LD50 1000 mg/l	Fish	96 hours
Polydimethylsiloxanes	None shown		
Sodium dodecyl sulphate	LD50 29 mg/l	Fish	96 hours
Nonylphenol, branched, ethoxylated	LD50 7.9 mg/l	Fish	96 hours
3-(2-methoxyethoxy)propyl-methyl-	LD50 6.8 mg/l	Fieb	96 hours
bis(trimethylsilyloxy)silane		Fish	
Pentyl acetate	LD50 65 mg/l	Fish	96 hours
2-methylbutyl acetate	None Shown		
Magnesium nitrate	None Shown		
5-chloro-2-methyl-2H-isothiazol-3-one	LC50 0.19 mg/l	Fish	96 hours
2-methyl-2H-isothiazol-3-one	EC50 0.18mg/l	Daphnia	48 hours
Copper dinitrate	None Shown		

Toxicity: OECD Guideline Test results found in the European Chemical Agency DataBase show components of this product to cause long-term harmful toxicity to aquatic life. However, the percentage of the products are below reportable quantities.

12.2 Mobility: Inconclusive technical data.

12.3 Persistence/degradability: Inconclusive technical data.

12.4 Bioaccumulation: Inconclusive technical data.

12.5 Other adverse effects: Inconclusive technical data.

Section 13 - Disposal Considerations

13.1 Disposal: DO NOT REUSE EMPTY CONTAINER! The container should be emptied before discard. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.

Section 14 - Transport Information

14.1 DOT Transport Information

55-gallon drums or less not DOT regulated per 49 CFR 173.150(f) (2)

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

Section 15 - Regulatory Information

15.1 US Regulations

US. Toxic Substances Control Act: All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30.

Toxic Release Inventory (TRI): This product contains the following EPCRA section 313 chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know- Act of 1986 (40 CFR 372):

CAS Number	Chemical Name	Chemical percentage by weight not exceeding
68412-54-4	Nonylphenol, branched, ethoxylated	1%

This information must be included in all SDSs that are copied and distributed for this material.

CERCLA Hazardous Substances and corresponding RQs: Pentyl acetate 5000 lbs.,

SARA Community Right-to-Know Program: All components in this blend

Clean Water Act: None

Clean Air Act: None

OSHA: All ingredients are regulated by 29 CFR 1910.1200.

State Regulations

California prop. 65

WARNING This product contains traces of Silica CAS # 14464-46-1, a chemical known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov. However, Silica is suspended in this blend and is not measurable.

OSHA's standard defines exposure as including potential as well as measurable exposure and applies to any chemical which is known to be present in the workplace in such a manner that employees may be exposed under normal conditions of use or in a foreseeable emergency. If there is no exposure either under normal conditions of use or in a foreseeable emergency, then the chemical is not covered by the standard. However, if under normal conditions of use, an action, such as cutting or grinding, is performed on the product that could release the crystalline Silica, then the product would be covered.

Chemicals on the following State Right to Know Lists:

Massachusetts: All components of this product are on the Massachusetts Inventory or are exempt from Inventory requirements

New Jersey All components of this product are on the New Jersey inventory or are exempt from Inventory requirements

Pennsylvania: All components of this product) are on the Pennsylvania Inventory or are exempt from Inventory requirements.

15.4 International Regulations:

Australian Inventory of Chemical Substances: All components of this product are on the Inventory or are exempt from Inventory requirements.

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

National Existing Chemical Inventory in Taiwan: All components of this product are on the Inventory or are exempt from Inventory requirements.

Philippine Inventory of Chemicals and Chemical Substances All components of this product are on the Inventory or are exempt from Inventory requirements.

China Existing Chemical Inventory: All components of this product are on the Inventory or are exempt from Inventory requirements.

Section 16 - Other Information

16.1 Disclaimer: The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.

16.2 References: CHEMpendium database of the Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller online, European Chemical Agency Data Base, and MSDS and SDS of chemicals in this mixture.

16.4 SDS Preparation Date 06/09/2023 **SDS Previous Issue Date:** 04/16/2014

SDS Revision Date:08/07/2020 Revised Sections: 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16

Prepared by SJC Compliance Education, Inc. 1319 Varese Dr. Pearland, TX 77581

